

Rockwall Health Center
2880 Ridge Rd.
Rockwall, TX 75032
(469) 769-1009

New Patient Introduction Form

Patient Name:

Date:

1. Chief Concerns:

2. Medications and/or Nutritional Supplements currently on:

3. Dietary Intake for 2 days before appointment:

Breakfast:

Breakfast:

Snacks:

Snacks:

Lunch:

Lunch:

Snacks:

Snacks:

Dinner:

Dinner:

Snacks:

Snacks:

[Type here]

SYSTEMS SURVEY FORM



Patient _____ Doctor _____ Date _____
 Birth Date ____ / ____ / ____ Approx Weight _____ Sex: Male Female
 Pulse: Recumbent _____ Standing _____ Vegetarian Gluten-free
 Blood pressure: Recumbent ____ / ____ Standing ____ / ____ Ragland's Test is Positive

INSTRUCTIONS: Fill in only the circles which apply to you.
 ● ○ ○ MILD symptoms (occurs rarely).
 ○ ● ○ MODERATE symptoms (occurs several times a month).
 ○ ○ ● SEVERE symptoms (occurs almost constantly)
 ○ ○ ○ Leave circles **BLANK** if they don't apply to you!

- 1 2 3 GROUP 1**
- 1 ○ ○ ○ Acid foods upset
 - 2 ○ ○ ○ Get chilled often
 - 3 ○ ○ ○ "Lump" in throat
 - 4 ○ ○ ○ Dry mouth-eyes-nose
 - 5 ○ ○ ○ Pulse speeds after meal
 - 6 ○ ○ ○ Keyed up - fail to calm
 - 7 ○ ○ ○ Gag occasionally
 - 8 ○ ○ ○ Unable to relax; startles easily
 - 9 ○ ○ ○ Extremities cold, clammy
 - 10 ○ ○ ○ Strong light irritates
 - 11 ○ ○ ○ Occasionally weak urine flow
 - 12 ○ ○ ○ Heart pounds after retiring
 - 13 ○ ○ ○ "Nervous" stomach
 - 14 ○ ○ ○ Appetite reduced occasionally
 - 15 ○ ○ ○ Cold sweats often
 - 16 ○ ○ ○ Get heated easily
 - 17 ○ ○ ○ Nerve discomfort
 - 18 ○ ○ ○ Staring, blinks little
 - 19 ○ ○ ○ Sour stomach frequent
- GROUP 2**
- 20 ○ ○ ○ Joint stiffness on arising
 - 21 ○ ○ ○ Muscle-leg-toe cramps at night
 - 22 ○ ○ ○ "Butterfly" stomach, cramps
 - 23 ○ ○ ○ Eyes or nose watery
 - 24 ○ ○ ○ Eyes blink often
 - 25 ○ ○ ○ Eyelids swollen, puffy
 - 26 ○ ○ ○ Indigestion soon after meals
 - 27 ○ ○ ○ Always seems hungry; feels "lightheaded" often
 - 28 ○ ○ ○ Digestion rapid
 - 29 ○ ○ ○ Vomiting occasionally
 - 30 ○ ○ ○ Hoarseness frequent
 - 31 ○ ○ ○ Uneven breathing
 - 32 ○ ○ ○ Pulse slow
 - 33 ○ ○ ○ Gagging reflex slow
 - 34 ○ ○ ○ Difficulty swallowing
 - 35 ○ ○ ○ Temporary constipation or diarrhea
 - 36 ○ ○ ○ "Slow starter"
 - 37 ○ ○ ○ Get "chilled"
 - 38 ○ ○ ○ Perspire easily
 - 39 ○ ○ ○ Sensitive to cold
 - 40 ○ ○ ○ Upper respiratory challenges
- GROUP 3**
- 41 ○ ○ ○ Eat when nervous
 - 42 ○ ○ ○ Excessive appetite
 - 43 ○ ○ ○ Hungry between meals
 - 44 ○ ○ ○ Irritable before meals
 - 45 ○ ○ ○ Get "shaky" if hungry
 - 46 ○ ○ ○ Fatigue, eating relieves
 - 47 ○ ○ ○ "Lightheaded" if meals delayed
 - 48 ○ ○ ○ Heart palpitates if meals missed or delayed
 - 49 ○ ○ ○ Fatigue in afternoons
 - 50 ○ ○ ○ Overeating sweets upsets

- 1 2 3**
- 51 ○ ○ ○ Awaken after few hours sleep - hard to get back to sleep
 - 52 ○ ○ ○ Crave candy or coffee in afternoons
 - 53 ○ ○ ○ Moods of "blues" or melancholy
 - 54 ○ ○ ○ Craving for sweets or snacks
- GROUP 4**
- 55 ○ ○ ○ Hands and feet go to sleep easily, numbness
 - 56 ○ ○ ○ Sigh frequently, "air hunger"
 - 57 ○ ○ ○ Aware of "breathing heavily"
 - 58 ○ ○ ○ High altitude discomfort
 - 59 ○ ○ ○ Opens windows in closed rooms
 - 60 ○ ○ ○ Immune system challenges
 - 61 ○ ○ ○ Afternoon "yawner"
 - 62 ○ ○ ○ Get "drowsy" often
 - 63 ○ ○ ○ Swollen ankles, worse at night
 - 64 ○ ○ ○ Muscle cramps, worse during exercise; get "charley horses"
 - 65 ○ ○ ○ Difficulty catching breath, especially during exercise
 - 66 ○ ○ ○ Tightness or pressure in chest, worse on exertion
 - 67 ○ ○ ○ Skin discolors easily after impact
 - 68 ○ ○ ○ Tendency to anemia
 - 69 ○ ○ ○ Noises in head, or "ringing in ears"
 - 70 ○ ○ ○ Fatigue upon exertion
- GROUP 5**
- 71 ○ ○ ○ Dizziness
 - 72 ○ ○ ○ Dry skin
 - 73 ○ ○ ○ Burning feet
 - 74 ○ ○ ○ Blurred vision
 - 75 ○ ○ ○ Itching skin and feet
 - 76 ○ ○ ○ Hair loss
 - 77 ○ ○ ○ Occasional skin rashes
 - 78 ○ ○ ○ Bitter, metallic taste in mouth in mornings
 - 79 ○ ○ ○ Occasional constipation
 - 80 ○ ○ ○ Worrier, feels insecure
 - 81 ○ ○ ○ Nausea occasionally after eating
 - 82 ○ ○ ○ Greasy foods upset
 - 83 ○ ○ ○ Stools light colored
 - 84 ○ ○ ○ Skin peels on foot soles
 - 85 ○ ○ ○ Discomfort between shoulder blades
 - 86 ○ ○ ○ Occasional laxative use
 - 87 ○ ○ ○ Stools alternate from soft to watery
 - 88 ○ ○ ○ Sneezing attacks
 - 89 ○ ○ ○ Dreaming, nightmare type bad dreams
 - 90 ○ ○ ○ Bad breath (halitosis)
 - 91 ○ ○ ○ Milk products cause upset
 - 92 ○ ○ ○ Sensitive to hot weather
 - 93 ○ ○ ○ Burning or itching anus
 - 94 ○ ○ ○ Crave sweets
- GROUP 6**
- 95 ○ ○ ○ Loss of taste for meat
 - 96 ○ ○ ○ Lower bowel gas several hours after eating
 - 97 ○ ○ ○ Burning stomach sensations, eating relieves
 - 98 ○ ○ ○ Coated tongue
 - 99 ○ ○ ○ Pass large amounts of foul-smelling gas
 - 100 ○ ○ ○ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.
 - 101 ○ ○ ○ Watery or loose stool
 - 102 ○ ○ ○ Gas shortly after eating
 - 103 ○ ○ ○ Stomach "bloating"

1 2 3 GROUP 7A

- 104 ○ ○ ○ Difficulty sleeping
- 105 ○ ○ ○ On edge
- 106 ○ ○ ○ Can't gain weight
- 107 ○ ○ ○ Intolerance to heat
- 108 ○ ○ ○ Highly emotional
- 109 ○ ○ ○ Flush easily
- 110 ○ ○ ○ Night sweats
- 111 ○ ○ ○ Thin, moist skin
- 112 ○ ○ ○ Inward trembling
- 113 ○ ○ ○ Heart races
- 114 ○ ○ ○ Increased appetite without weight gain
- 115 ○ ○ ○ Pulse fast at rest
- 116 ○ ○ ○ Eyelids and face twitch
- 117 ○ ○ ○ Irritable and restless
- 118 ○ ○ ○ Can't work under pressure

GROUP 7B

- 119 ○ ○ ○ Increase in weight
- 120 ○ ○ ○ Decrease in appetite
- 121 ○ ○ ○ Fatigue easily
- 122 ○ ○ ○ Ringing in ears
- 123 ○ ○ ○ Sleepy during day
- 124 ○ ○ ○ Sensitive to cold
- 125 ○ ○ ○ Dry or scaly skin
- 126 ○ ○ ○ Temporary constipation
- 127 ○ ○ ○ Mental sluggishness
- 128 ○ ○ ○ Hair coarse, falls out
- 129 ○ ○ ○ Tension in head upon arising wears off during day
- 130 ○ ○ ○ Slow pulse, below 65
- 131 ○ ○ ○ Changing urinary function
- 132 ○ ○ ○ Sounds appear diminished
- 133 ○ ○ ○ Reduced initiative

GROUP 7C

- 134 ○ ○ ○ Failing memory with age
- 135 ○ ○ ○ Increased sex drive
- 136 ○ ○ ○ Episodes of tension in head
- 137 ○ ○ ○ Decreased sugar tolerance

GROUP 7D

- 138 ○ ○ ○ Abnormal thirst
- 139 ○ ○ ○ Bloating of abdomen
- 140 ○ ○ ○ Weight gain around hips or waist
- 141 ○ ○ ○ Sex drive reduced or lacking
- 142 ○ ○ ○ Tendency for stomach issues
- 143 ○ ○ ○ Increased sugar tolerance
- 144 ○ ○ ○ Menstrual disorders

GROUP 7E

- 145 ○ ○ ○ Dizziness
- 146 ○ ○ ○ Headaches
- 147 ○ ○ ○ Hot flashes
- 148 ○ ○ ○ Hair growth on face or body (female)
- 149 ○ ○ ○ Sugar in urine (not diabetes)
- 150 ○ ○ ○ Masculine tendencies (female)

GROUP 7F

- 151 ○ ○ ○ Weakness, dizziness
- 152 ○ ○ ○ Tired throughout day
- 153 ○ ○ ○ Nails weak, ridged
- 154 ○ ○ ○ Sensitive skin
- 155 ○ ○ ○ Stiff joints
- 156 ○ ○ ○ Perspiration increase
- 157 ○ ○ ○ Bowel discomfort
- 158 ○ ○ ○ Poor circulation
- 159 ○ ○ ○ Swollen ankles
- 160 ○ ○ ○ Crave salt
- 161 ○ ○ ○ Areas of skin darkening
- 162 ○ ○ ○ Upper respiratory sensitivity
- 163 ○ ○ ○ Tiredness
- 164 ○ ○ ○ Breathing challenges

1 2 3 GROUP 8

- 165 ○ ○ ○ Muscle weakness
- 166 ○ ○ ○ Lack of Stamina
- 167 ○ ○ ○ Drowsiness after eating
- 168 ○ ○ ○ Muscular soreness
- 169 ○ ○ ○ Heart races
- 170 ○ ○ ○ Hyper-irritable
- 171 ○ ○ ○ Feeling of a band around your head
- 172 ○ ○ ○ Melancholia (feeling of sadness)
- 173 ○ ○ ○ Swelling of ankles
- 174 ○ ○ ○ Change in urinary function
- 175 ○ ○ ○ Tendency to consume sweets or carbohydrates
- 176 ○ ○ ○ Muscle spasms
- 177 ○ ○ ○ Blurred vision
- 178 ○ ○ ○ Involuntary muscle action
- 179 ○ ○ ○ Numbness
- 180 ○ ○ ○ Night sweats
- 181 ○ ○ ○ Rapid digestion
- 182 ○ ○ ○ Sensitivity to noise
- 183 ○ ○ ○ Redness of palms of hands and bottom of feet
- 184 ○ ○ ○ Visible veins on chest and abdomen
- 185 ○ ○ ○ Hemorrhoids
- 186 ○ ○ ○ Apprehension (feeling that something bad will happen)
- 187 ○ ○ ○ Nervousness causing loss of appetite
- 188 ○ ○ ○ Nervousness with indigestion
- 189 ○ ○ ○ Gastritis
- 190 ○ ○ ○ Forgetfulness
- 191 ○ ○ ○ Thinning hair

FEMALE ONLY

- 192 ○ ○ ○ Very easily fatigued
- 193 ○ ○ ○ Premenstrual tension
- 194 ○ ○ ○ Menses more painful than usual
- 195 ○ ○ ○ Depressed feelings before menstruation
- 196 ○ ○ ○ Painful breasts during menses
- 197 ○ ○ ○ Menstruate too frequently
- 198 ○ Hysterectomy / ovaries removed
- 199 ○ ○ ○ Menopausal hot flashes
- 200 ○ ○ ○ Menses scanty or missed
- 201 ○ ○ ○ Acne, worse at menses

MALE ONLY

- 202 ○ ○ ○ Less involved in exercise/social activities
- 203 ○ ○ ○ Difficult to postpone urination
- 204 ○ ○ ○ Weak urinary stream
- 205 ○ ○ ○ Feeling of "blues" or melancholy
- 206 ○ ○ ○ Feeling of incomplete bowel evacuation
- 207 ○ ○ ○ Lack of energy
- 208 ○ ○ ○ Muscles in arms and legs seem softer/smaller
- 209 ○ ○ ○ Tire too easily
- 210 ○ ○ ○ Avoids activity
- 211 ○ ○ ○ Leg nervousness at night
- 212 ○ ○ ○ Diminished sex drive



List the five main complaints you have in the order of their importance:

1. _____
2. _____
3. _____
4. _____
5. _____

RESTRICTIONS ON USE

THE SYSTEMS SURVEY IS TO BE USED ONLY BY TRAINED HEALTH CARE PRACTITIONERS. IF YOU ARE A PATIENT, YOU SHOULD NOT USE THE SYSTEMS SURVEY. IF YOU ARE NOT A TRAINED HEALTH CARE PRACTITIONER, YOU SHOULD NOT USE THE SYSTEMS SURVEY. HEALTH CARE PRACTITIONERS SHOULD ONLY USE THE SYSTEMS SURVEY TO PROVIDE SERVICES THAT ARE WITHIN THE SCOPE OF THEIR LICENSE OR PROFESSIONAL TRAINING. THE SYSTEMS SURVEY IS NOT INTENDED TO DIAGNOSE ANY DISEASE. THE SYSTEMS SURVEY IS INTENDED TO BE USED AS A HELPFUL TOOL FOR HEALTH CARE PRACTITIONERS IN COLLECTING INFORMATION CONCERNING THE HEALTH AND WELLNESS OF PATIENTS.

Name: _____ Date: _____



Notes: